

**ADVERTISEMENT**  
**MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-**

REQ.NO.	DESCRIPTION	QTY	ADVERTISMENT NO.	BID BOND
1291/2016	Metals	18 Items	Third	900 \$

- 1-the requisition to be sold in (250, 000) iraqi dinars; un returnable or to transfer this amount to mrc bank account number (90956)in rafidan bank head branch .
- 2-technical and commercial offer should be opened at the same time, the representatives of the companies can be attend to our mpany (mrc) at 10 o'clock morning one day after the closing day stated below in item (29) .
- 3-offered prices should be (cip) baghdad / daura refinery and preferred to be in us dollar. they will be final and un negotiable. (mrc) is not obliged to accept the lowest prices.
- 4-offeres (technical & commercial) to be submitted, separately in sealed envelopes, either directly at (mrc) reception bureau or sent by(dhl). the requisition number, the description and the closing date should be fixed on both envelopes. the validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. offers sent by e- mail will be neglected.
- 5- the validity of the bid bond and the offer should be mentioned within both offers and should not be less than (120) days.
- 6- all pages of, both, the technical and commercial offers should be numbered in sequence, including the attachments and documents.
- 7-all documents (profile) and similar contracts achieved, issued by governmental contracts should be submitted before purchasing the req. – for the current year or enclosed within the technical offer.
- 8- a bid bond of amount that stated in the advertisement above against each tender should be submitted with commercial offer from one of the participant in the company according to instruction as (letter of guarantee , certified cheque or bank guarantee) (original copy), issued from :( kurdistan international bank , north bank , arpil international bank, gihan bank for islamic investment & finance , al mansour bank for investment , national islamic bank , region for business investment and financing ( emerald bank befor), bank of baghdad , gulf commercial bank , sumer for commercial , credit bank iraqi , investment bank of iraq , ashur international bank for investment , international development for investment &finance , national bank of iraq , iraqi islamic cooperational bank for investment , commercial bank , byblos bank , dijlah & furat bank for development & investment & iraqi middle east investment bank , bank med and released immediately in case the requisition is not awarded. cheques & bank guarantees issued from [alwarkaa bank – islamic bilad bank, united bank for investment or basrah international bank, al- huda bank ,economy bank for investment & finance, union bank of Iraq ] are not acceptable. this bid bond should be valid for not less than (120) days &this bid bond should be confiscated if the companies don't respond to( answered for ) the correspondence during the technical & commercial study .
- 9- the delivery period (in days) should be, exactly specified.
- 10-basic terms of payment is by irrevocable & unconfirmed letter of credit to be paid (100%) after the receipt of goods in baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee the prices of all offers are calculated according to the exchange rate of the central bank of iraq .at the date of opening the offers .for the purpose of preferability and by iraqi dinar only , for iraqi companies according to the exchange rate of the control bank of iraq at the date of preparing the contract,and the cost was stated in the contract.
- 11- delay penalty to be applied with total amount, not exceeding (10%) of the total value of the contract .
- 12- an unconditional performance bond of (5%) of the total value of the contract to be submitted, from one of the participant in the company as a letter of guarantee (only) after the letter of award and before signing the contract according to instruction , from one of the banks mentioned in item (8) within (15) fifteen days from the date, the supplier is informed of the award. for any delay beyond the specified period, the award will be cancelled and the supplier will be considered as a shirker. the issue of the (l /c) depends, mainly, on submitting this bond. the performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), is over. this performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the contract to be deducted as taxes for iraqi companies. also, in case the payment is in iraqi dinar. for non-iraqi companies, the deducted amounts shall be transferred to the general commission of taxes within a period not exceeding (30) days from the date of completing the work and 3% for the contract contain onsite training , installation and operation.
- 14- (0.002) off the total value of the contract to be deducted as stamp charges.
- 15- a sum of (205,000.00) id to be deducted as cost of import license.

- 16- origin certificate should be approved by iraqi embassy/commercial attaché in the country of origin.
- 17- a sum of money in Iraqi dinar for chemical materials to be deducted as an environmental cost after issuing the contract & will be determined by ministry of environment
- 18- the participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 19- the origin of the materials should be specified in the offer and fixed. and will not be changed for any reason state the method & the port of shipment & the entry point .
- 20- the supplier should state his full and fixed name and address (city ,building , street , email , phone NO.). ALL offers and correspondences should be, clearly, signed by the general manager or whom is officially empowered via power of attorney. otherwise the offer will be neglected.
- 21- third party inspection certificate should be provided from one of the following companies:  
[lloyds register – bureau veritas - intertek global - tuv rheinland - dnv]
- 22- it is necessary to present authorization letter from the manufacturer companies certified from ministry of foreing affairs or embassy or consulate or the commercial attached in country of origin
- 23- in case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 24- the awarded supplier will bear the advertising fees value (100 \$) .
- 25- iraqi laws are applied : the tender and the contract shall be governed and construed according to the iraqi law. courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (mrc).
- 26- for chemical (req) the sample should be submitted with the technical & commercial offers before or (during )the closing otherwise the offers will be neglected
- 27- the contracted company shall not deal with Israel in any way ; otherwise , it shall bear all the legal consequences .
- 28- the companies that need any additional information in order to participate in any tender should buy the tender document & attached with their letters before closing date . & our company shall state a date of conference for answering all questions in time not less than (7 day) befor closing date
- 29- closing date: 20 / 12 / 2016, till (1.00) o'clock (afternoon).

Saad Noori Mohamed  
G. MANAGER

IT	QTY	UNIT	VOCAB	DESCRIPTION
				<b>METALS</b>
				Free cutting brass round bar rod conforming to Astm B-16 : temper designation (HO2) round cross .section :hot rolled :certificates is required : colour identification black Inches mm in random lengths
1.	150	CM	200505/128.2	8" 203 30-60CM
				Commercial copper rod :bar according to Astm B-133 :UNS No. designation (C-14200) round cross-section temper designation (060) max Rockwell hardness F-scale (65) :not less than (30)CM piece length Inches mm
2.	120	CM	201405/048.2	3" 76
				Chemical composition 3.5-5.8% tin 0.03-0.35% phosphorous 0.10% max iron lead 0.05% max zinc 0.3% max copper plus tin plus phosphorous 99.5% min Phosphor bronze cold brawn and annealed in accordance with Astm designated B-139-52, alloy "A" colour identification: green phosphor bronzes rods Dia inches mm in rand lengths
3.	300	CM	202105/048.2	3" 76 120-300CM
4.	60	CM	096.2	6" 152 30-60CM 152-5
				High lead tin bronze hollow bar casting according to ASTM B-144-52 alloy type (3B): commercial designation (83-7-7-3) color identification white dia inches mm in random length Inch mm
5.	450	CM	202510/036.2	3"X1.1/2" 76X38 120-240CM
6.	300	CM	202510/040.2	3.1/2 X1.1/2" 89X38 60-120CM

IT	QTY	UNIT	VOCAB	DESCRIPTION
				Cold finish alloy steel bar grade 4140 cold drawn in accordance with Astm designation A-331-50T approximate composition: Carbon 0.38- 0.43% manganese 0.75% silicon 0.20-0.35%chromium 0.80-1.15% molybdenum 0.15-0.25% colour identification –white round bar inches mm in random length
7.	1200	CM	203005/024.2	1.1/2" 38 300-450CM
				Stainless steel bar according to Astm –A-276-81 A type (304) uns No. (S30400) cold finished :cold drawn: annealed Inches mm in random Lengths
8.	500	CM	203205/052.0	3.1/4" 83 180-360CM
				Martensitic round bar martensitic stainless steel round bar according to Astm –A-276-81A type (414) UNS designation (S41400):cold finished :cold drawn :annealed :colour identification :red.
9.	150	CM	203405/026.2	1.5/8" 41 mm 180-360CM
				Martensitic hollow round bar stainless steel round bar according to: Astm –A-276 type (414) Uns designation(S41400) cold finished ,cold drawn, annealed colour identification :red. OD x ID
10.	300	CM	203410/056.2	3 1/2" x 1 1/2" or 89x38mm
				Standard quality :cold finished low carbon steel bar :cold drawn in accordance with Astm –A-108-81 grade designation (1018): UNS No designation (G10180) colour identification black inches mm in random lengths
11.	6000	CM	205105/016.2	1" 25 300-450CM
12.	800	CM	036.2	2.1/4" 57 300-450CM
13.	600	CM	048.2	3" 76 300-450CM
14.	300	CM	112.2	7" 178 90-180CM

IT	QTY	UNIT	VOCAB	DESCRIPTION
				Standard quality :cold finished low carbon steel bar :cold drawn in accordance with Astm -A-108-81 grade designation (1018): UNS No designation (G10180) colour identification black Inches mm in random lengths
15.	300	CM	205107/020.2	1.1/4" 32 90-180CM
				Standard quality :cold finished cold drawn: medium-carbon steel bar : in accordance with Astm -A-108-81 grade designation (1144): UNS No (G11440) inches mm in random lengths
16.	600	CM	205305/032.2	2" 51 300-450CM
17.	200	CM	205305/064.2	4" 102 180-360CM
				Cast iron bars to B.S.1452-1948 grade 12 rough machined to 1/32" above stated sizes in random lengths of 45-90CM round solid bars diameter (inches) dia Inches mm
18.	100	CM	206005/072.2	4.1/2" 114

ALL MANUFACTURE ACCEPTED EXCEPT CHINA

CERTIFICATE OF ORIGIN

MILL CERTIFICATE

DIMENSIONS CHECK

THIRD PART INSPECTION: (visual inspection)

- 1- Lloyds Register
- 2- Bureau Veritas
- 3- Intertek Global
- 4- Tuv Rhenland
- 5- DNV

**ADVERTISEMENT**  
**MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-**

REQ.NO.	DESCRIPTION	QTY	ADVERTISEMENT NO.	BID BOND
1335/2016	Supplementary & Meters/Transmitter	6 Items	Third	7200 \$

- 1-the requisition to be sold in (250, 000) iraqi dinars; un returnable or to transfer this amount to mrc bank account number (90956)in rafidan bank head branch .
- 2-technical and commercial offer should be opened at the same time, the representatives of the companies can be attend to our mpany (mrc) at 10 o'clock morning one day after the closing day stated below in item (29) .
- 3-offered prices should be (cip) baghdad / daura refinery and preferred to be in us dollar. they will be final and un negotiable. (mrc) is not obliged to accept the lowest prices.
- 4-offeres (technical & commercial) to be submitted, separately in sealed envelopes, either directly at (mrc) reception bureau or sent by(dhl). the requisition number, the description and the closing date should be fixed on both envelopes. the validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. offers sent by e- mail will be neglected.
- 5- the validity of the bid bond and the offer should be mentioned within both offers and should not be less than (120) days.
- 6- all pages of, both, the technical and commercial offers should be numbered in sequence, including the attachments and documents.
- 7-all documents (profile) and similar contracts achieved, issued by governmental contracts should be submitted before purchasing the req. – for the current year or enclosed within the technical offer.
- 8- a bid bond of amount that stated in the advertisement above against each tender should be submitted with commercial offer from one of the participant in the company according to instruction as (letter of guarantee , certified cheque or bank guarantee) (original copy), issued from :( kurdistan international bank , north bank , arpil international bank, gihan bank for islamic investment & finance , al mansour bank for investment , national islamic bank , region for business investment and financing ( emerald bank befor), bank of baghdad , gulf commercial bank , sumer for commercial , credit bank iraqi , investment bank of iraq , ashur international bank for investment , international development for investment &finance , national bank of iraq , iraqi islamic cooperational bank for investment , commercial bank , byblos bank , dijlah & furat bank for development & investment & iraqi middle east investment bank , bank med and released immediately in case the requisition is not awarded. cheques & bank guarantees issued from [alwarkaa bank – islamic bilad bank, united bank for investment or basrah international bank, al- huda bank ,economy bank for investment & finance, union bank of Iraq ] are not acceptable. this bid bond should be valid for not less than (120) days &this bid bond should be confiscated if the companies don't respond to( answered for ) the correspondence during the technical & commercial study .
- 9- the delivery period (in days) should be, exactly specified.
- 10-basic terms of payment is by irrevocable & unconfirmed letter of credit to be paid (100%) after the receipt of goods in baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee the prices of all offers are calculated according to the exchange rate of the central bank of iraq .at the date of opening the offers .for the purpose of preferability and by iraqi dinar only , for iraqi companies according to the exchange rate of the control bank of iraq at the date of preparing the contract,and the cost was stated in the contract.
- 11- delay penalty to be applied with total amount, not exceeding (10%) of the total value of the contract .
- 12- an unconditional performance bond of (5%) of the total value of the contract to be submitted, from one of the participant in the company as a letter of guarantee (only) after the letter of award and before signing the contract according to instruction , from one of the banks mentioned in item (8) within (15) fifteen days from the date, the supplier is informed of the award. for any delay beyond the specified period, the award will be cancelled and the supplier will be considered as a shirker. the issue of the (l /c) depends, mainly, on submitting this bond. the performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), is over. this performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the contract to be deducted as taxes for iraqi companies. also, in case the payment is in iraqi dinar. for non-iraqi companies, the deducted amounts shall be transferred to the general commission of taxes within a period not exceeding (30) days from the date of completing the work and 3% for the contract contain onsite training , installation and operation.
- 14- (0.002) off the total value of the contract to be deducted as stamp charges.
- 15- a sum of (205,000.00) id to be deducted as cost of import license.

- 16- origin certificate should be approved by iraqi embassy/commercial attaché in the country of origin.
- 17- a sum of money in Iraqi dinar for chemical materials to be deducted as an environmental cost after issuing the contract & will be determined by ministry of environment
- 18- the participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 19- the origin of the materials should be specified in the offer and fixed. and will not be changed for any reason state the method & the port of shipment & the entry point .
- 20- the supplier should state his full and fixed name and address (city ,building , street , email , phone NO.). ALL offers and correspondences should be, clearly, signed by the general manager or whom is officially empowered via power of attorney. otherwise the offer will be neglected.
- 21- third party inspection certificate should be provided from one of the following companies:  
[lioyds register – bureau veritas - intertek global - tuv rheinland - dnv]
- 22- it is necessary to present authorization letter from the manufacturer companies certified from ministry of foreign affairs or embassy or consulate or the commercial attached in country of origin
- 23- in case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 24- the awarded supplier will bear the advertising fees value (100 \$) .
- 25- iraqi laws are applied : the tender and the contract shall be governed and construed according to the iraqi law. courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (mrc).
- 26- for chemical (req) the sample should be submitted with the technical & commercial offers before or (during )the closing otherwise the offers will be neglected
- 27- the contracted company shall not deal with Israel in any way ; otherwise , it shall bear all the legal consequences .
- 28-the companies that need any additional information in order to participate in any tender should buy the tender document & attached with their letters before closing date . & our company shall state a date of conference for answering all questions in time not less than (7 day) befor closing date
- 29- closing date: 20 / 12 / 2016, till (1.00) o'clock (afternoon).

Saad Noori Mohamed  
G. MANAGER

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				<b>SUPPLEMENTARY &amp; METERS</b>
				<b>TYPE: TRANSMITTER ATMOSPHERIC DIST. UNIT (70000 BBL/D</b>
1.	10	NOS	378601/484.3	<b>DIFF. PRESSURE TRANS. MODEL: EJA110A</b> <b>INST. RANGE: 0 – 1 Kg/ cm<sup>2</sup></b> <b>PROSS. CONN.: ¼”NPT-F ON COVER FLANGE</b> <b>OUT PUT SIGNAL: 4-20 m A HART</b> <b>COMMUN. TYPE: HART</b> <b>POWER SUPPLY: 24 VDC</b> <b>ELEMENT /DIAPHRAGM MATERIAL:</b> <b>Capsule 316LSS/DIAPH.HASTELLOY C- 276</b> <b>ELECTRICAL CONNECTION/CABLE</b> <b>GLAND: TERMINALS/ M20X1.5</b> <b>INTEGRAL INDICATOR: LCD DIGITAL IND.</b> <b>PURCHASE ORDER No.:</b> <b>EJA110A-EMS5A-99DA/KF2/D4/N4</b> <b>Explosion proof type:</b> <b>CENELEC ATEX (KEMA)Flamep.app.</b> <b><u>REMOTE SEALS</u></b> <b>TYPE/MODEL:</b> <b>BF/2×DFSBFEJAM-08A2SSSS-F1C105</b> <b>PROCESS CON. SIZE/ RATING:</b> <b>3” ANSI B16.5/ 300 RF</b> <b>DIAPHRAM MATERIAL/CAPILARY METERIAL:</b> <b>316SS/ 316SS</b> <b>CAPILLARY TYPE/ LENGTH:</b> <b>ARMOURED SS/2×2000 mm</b> <b>FILL FLUID:</b> <b>SILICONE OIL BODOTHERM BSO-42/ 1070KG/M<sup>3</sup>@25°C</b> <b>Max Allow. Over temp.: -10 to +350</b> <b>Manufacturer: YOKOGAWA</b>
2.	10	NOS	378601/485.3	<b>DIFF. PRESSURE TRANS. MODEL: EJA110A</b> <b>INST. RANGE: 0 – 1 Kg/ cm<sup>2</sup></b> <b>PROSS. CONN.: ¼”NPT-F ON COVER FLANGE</b> <b>OUT PUT SIGNAL: 4-20 m A HART</b> <b>COMMUN. TYPE: HART</b> <b>POWER SUPPLY: 24 VDC</b>

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				<p><b>ELEMENT /DIAPHRAGM MATERIAL:</b>  <b>Capsule 316LSS/DIAPH.HASTELLOY C- 276</b>  <b>ELECTRICAL CONNECTION/CABLE</b>  <b>GLAND: TERMINALS/ M20X1.5</b>  <b>INTEGRAL INDICATOR: LCD DIGITAL IND.</b>  <b>PURCHASE ORDER No.:</b>  <b>EJA110A-EMS5A-99DA/KF2/D4/N4</b>  <b>Explosion proof type:</b>  <b>CENELEC ATEX(KEMA)Flamep.app.</b>  <u><b>REMOTE SEALS</b></u>  <b>TYPE/MODEL:</b>  <b>BF/2×DFSBFEJAM-08A1SSSS-F1C105</b>  <b>PROCESS CON. SIZE/ RATING:</b>  <b>3" ANSI B16.5/ 150 RF</b>  <b>DIAPHRAM MATERIAL/CAPILARY</b>  <b>METERIAL:</b>  <b>316SS/ 316SS</b>  <b>CAPILLARY TYPE/ LENGTH:</b>  <b>ARMOURED SS/2×2000 mm</b>  <b>FILL FLUID:</b>  <b>SILICONE OIL BODOTHERM BSO-42/</b>  <b>1070KG/M<sup>3</sup>@25°C</b>  <b>Max Allow. Over temp.: -10 to +350</b>  <b>Manufacturer: YOKOGAWA</b></p>
3.	10	NOS	378601/486.3	<p><b>DIFF. PRESSURE TRANS. MODEL: EJA110A</b>  <b>INST. RANGE: 0 – 1 Kg/ cm<sup>2</sup></b>  <b>PROSS. CONN.: ¼"NPT-F ON COVER</b>  <b>FLANGE</b>  <b>OUT PUT SIGNAL: 4-20 m A HART</b>  <b>COMMUN. TYPE: HART</b>  <b>POWER SUPPLY: 24 VDC</b>  <b>ELEMENT /DIAPHRAGM MATERIAL:</b>  <b>Capsule 316LSS/DIAPH.HASTELLOY C- 276</b>  <b>ELECTRICAL CONNECTION/CABLE</b>  <b>GLAND: TERMINALS/ M20X1.5</b>  <b>INTEGRAL INDICATOR: LCD DIGITAL IND.</b>  <b>PURCHASE ORDER No.:</b>  <b>EJA110A-EMS5A-99DA/KF2/D4/N4</b>  <b>Explosion proof type:</b>  <b>CENELEC ATEX(KEMA)Flamep.app.</b>  <u><b>REMOTE SEALS</b></u>  <b>TYPE/MODEL:</b>  <b>BF/2×DFSBFEJAM-08A1SSSS-F1C104</b>  <b>PROCESS CON. SIZE/ RATING:</b></p>

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				<b>3" ANSI B16.5/ 150 RF  DIAPHRAM MATERIAL/CAPILARY  METERIAL:  316SS/ 316SS  CAPILLARY TYPE/ LENGTH:  ARMOURED SS/2×4000 mm  FILL FLUID:  SILICONE OIL BODOTHERM BSO-42/  1070KG/M<sup>3</sup>@25°C  Max Allow. Over temp.: -10 to +350  Manufacturer: YOKOGAWA</b>
4.	10	NOS	378601/487.3	<b>DIFF. PRESSURE TRANS. MODEL: EJA110A  INST. RANGE: 0 – 1 Kg/ cm<sup>2</sup>  PROSS. CONN.: ¼"NPT-F ON COVER  FLANGE  OUT PUT SIGNAL: 4-20 m A HART  COMMUN. TYPE: HART  POWER SUPPLY: 24 VDC  ELEMENT /DIAPHRAGM MATERIAL:  Capsule 316LSS/DIAPH.HASTELLOY C- 276  ELECTRICAL CONNECTION/CABLE  GLAND: TERMINALS/ M20X1.5  INTEGRAL INDICATOR: LCD DIGITAL IND.  PURCHASE ORDER No.:  EJA110A-EMS5A-99DA/KF2/D4/N4  Explosion proof type:  CENELEC ATEX(KEMA)Flamep.app.  <u>REMOTE SEALS</u>  TYPE/MODEL:  BF/2×DFSBFEJAM-08A1SSM4-F1C104  PROCESS CON. SIZE/ RATING:  3" ANSI B16.5/ 150 RF  DIAPHRAM MATERIAL/CAPILARY  METERIAL:  MONEL 400/ 316SS  CAPILLARY TYPE/ LENGTH:  ARMOURED SS/2×3000 mm  FILL FLUID:  SILICONE OIL BODOTHERM BSO-42/  1070KG/M<sup>3</sup>@25°C  Max Allow. Over temp.: -10 to +350  Manufacturer: YOKOGAWA</b>

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
5.	10	NOS	378601/488.3	<p><b>DIFF. PRESSURE TRANS. MODEL: EJA110A</b>  <b>INST. RANGE: 0 – 5.1 Kg/ cm<sup>2</sup></b>  <b>PROSS. CONN.: ¼”NPT-F ON COVER</b>  <b>FLANGE</b>  <b>OUT PUT SIGNAL: 4-20 m A HART</b>  <b>COMMUN. TYPE: HART</b>  <b>POWER SUPPLY: 24 VDC</b>  <b>ELEMENT /DIAPHRAGM MATERIAL:</b>  <b>Capsule 316LSS/DIAPH.HASTELLOY C- 276</b>  <b>ELECTRICAL CONNECTION/CABLE</b>  <b>GLAND: TERMINALS/ M20X1.5</b>  <b>INTEGRAL INDICATOR: LCD DIGITAL IND.</b>  <b>PURCHASE ORDER No.:</b>  <b>EJA110A-EHS5A-99DA/KF2/D4/N4</b>  <b>Explosion proof type:</b>  <b>CENELEC ATEX(KEMA)Flamep.app.</b>  <u><b>REMOTE SEALS</b></u>  <b>TYPE/MODEL:</b>  <b>BF/2×DFSBFEJAM-05A2SSSS-F1C105</b>  <b>PROCESS CON. SIZE/ RATING:</b>  <b>2” ANSI B16.5/ 300 RF</b>  <b>DIAPHRAM MATERIAL/CAPILARY</b>  <b>METERIAL:</b>  <b>316 SS/ 316SS</b>  <b>CAPILLARY TYPE/ LENGTH:</b>  <b>ARMOURED SS/2×5000 mm</b>  <b>FILL FLUID:</b>  <b>SILICONE OIL BODOTHERM BSO-42/</b>  <b>1070KG/M<sup>3</sup>@25°C</b>  <b>Max Allow. Over temp.: -10 to +350</b>  <b>Manufacturer: YOKOGAWA</b></p>
6.	10	NOS	378601/489.3	<p><b>PRESSURE TRANS. MODEL: EJA430A</b>  <b>INST. RANGE: 0 – 30Kg/ cm<sup>2</sup></b>  <b>PROSS. CONN.: ¼”NPT-F ON COVER</b>  <b>FLANGE</b>  <b>OUT PUT SIGNAL: 4-20 m A HART</b>  <b>COMMUN. TYPE: HART</b>  <b>POWER SUPPLY: 24 VDC</b>  <b>ELEMENT /DIAPHRAGM MATERIAL:</b>  <b>Capsule 316LSS/DIAPH.HASTELLOY C- 276</b>  <b>ELECTRICAL CONNECTION/CABLE</b>  <b>GLAND: TERMINALS/ M20X1.5</b>  <b>INTEGRAL INDICATOR: LCD DIGITAL IND.</b>  <b>PURCHASE ORDER No.:</b></p>

IT.	QTY.	UNIT	VOCAB NO.	DESCRIPTION
				<b>EJA430A-EAS5A-99DA/KF2/D4/N4</b> <b>Explosion proof type:</b> <b>CENELEC ATEX(KEMA)Flamep.app.</b> <b>REMOTE SEALS</b> <b>TYPE/MODEL:</b> <b>BRF/1×DFSBREJAM-05A1SSM4-F1C102</b> <b>PROCESS CON. SIZE/ RATING:</b> <b>2" ANSI B16.5/ 150 RF</b> <b>DIAPHRAM MATERIAL/CAPILARY</b> <b>METERIAL:</b> <b>MONAL 400/ 316SS</b> <b>CAPILLARY TYPE/ LENGTH:</b> <b>ARMoured SS/3000 mm</b> <b>FILL FLUID:</b> <b>SILICONE OIL BODOTHERM BSO-42/</b> <b>1070KG/M<sup>3</sup>@25°C</b> <b>Max Allow. Over temp.: -10 to +350</b> <b>Manufacturer: YOKOGAWA</b>

**CERTIFICATE OF ORIGIN  
THIRD PARTY INSPECTION CERTIFICATE  
( Visual test )**

- 1. Lloyd s Register**
- 2. Bureau Veritas**
- 3. Intertek Global**
- 4. TUV Rhenland**
- 5. DNV**

**ORIGIN: Europe union – Japan – Usa- Australia - Canada  
- South Korea.**

**ADVERTISEMENT**  
**MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-**

REQ.NO.	DESCRIPTION	QTY	ADVERTISEMENT NO.	BID BOND
1636/2016	Depressant for transformer oil type alkyl naphthalene or equivalent	5000 Kgs	Twice	1350 \$

- 1-the requisition to be sold in (250, 000) iraqi dinars; un returnable or to transfer this amount to mrc bank account number (90956)in rafidan bank head branch .
- 2-technical and commercial offer should be opened at the same time, the representatives of the companies can attend to our mpany (mrc) at 10 o'clock morning one day after the closing day stated below in item (29) .
- 3-offered prices should be (cip) baghdad / daura refinery and preferred to be in us dollar. they will be final and un negotiable. (mrc) is not obliged to accept the lowest prices.
- 4-offeres (technical & commercial) to be submitted, separately in sealed envelopes, either directly at (mrc) reception bureau or sent by(dhl). the requisition number, the description and the closing date should be fixed on both envelopes. the validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. offers sent by e- mail will be neglected.
- 5- the validity of the bid bond and the offer should be mentioned within both offers and should not be less than (120) days.
- 6- all pages of, both, the technical and commercial offers should be numbered in sequence, including the attachments and documents.
- 7-all documents (profile) and similar contracts achieved, issued by governmental contracts should be submitted before purchasing the req. – for the current year or enclosed within the technical offer.
- 8- a bid bond of amount that stated in the advertisement above against each tender should be submitted with commercial offer from one of the participant in the company according to instruction as (letter of guarantee , certified cheque or bank guarantee) (original copy), issued from :( kurdistan international bank , north bank , arpil international bank, gihan bank for islamic investment & finance , al mansour bank for investment , national islamic bank , region for business investment and financing ( emerald bank befor), bank of baghdad , gulf commercial bank , sumer for commercial , credit bank iraqi , investment bank of iraq , ashur international bank for investment , international development for investment &finance , national bank of iraq , iraqi islamic cooperational bank for investment , commercial bank , byblos bank , dijlah & furat bank for development & investment & iraqi middle east investment bank , bank med and released immediately in case the requisition is not awarded. cheques & bank guarantees issued from [alwarkaa bank – islamic bilad bank, united bank for investment or basrah international bank, al- huda bank ,economy bank for investment & finance, union bank of Iraq ] are not acceptable. this bid bond should be valid for not less than (120) days &this bid bond should be confiscated if the companies don't respond to( answered for ) the correspondence during the technical & commercial study .
- 9- the delivery period (in days) should be, exactly specified.
- 10-basic terms of payment is by irrevocable & unconfirmed letter of credit to be paid (100%) after the receipt of goods in baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee the prices of all offers are calculated according to the exchange rate of the central bank of iraq .at the date of opening the offers .for the purpose of preferability and by iraqi dinar only , for iraqi companies according to the exchange rate of the control bank of iraq at the date of preparing the contract,and the cost was stated in the contract.
- 11- delay penalty to be applied with total amount, not exceeding (10%) of the total value of the contract .
- 12- an unconditional performance bond of (5%) of the total value of the contract to be submitted, from one of the participant in the company as a letter of guarantee (only) after the letter of award and before signing the contract according to instruction , from one of the banks mentioned in item (8) within (15) fifteen days from the date, the supplier is informed of the award. for any delay beyond the specified period, the award will be cancelled and the supplier will be considered as a shirker. the issue of the (l /c) depends, mainly, on submitting this bond. the performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), is over. this performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the contract to be deducted as taxes for iraqi companies. also, in case the payment is in iraqi dinar. for non-iraqi companies, the deducted amounts shall be transferred to the general commission of taxes within a period not exceeding (30) days from the date of completing the work and 3% for the contract contain onsite training , installation and operation.
- 14- (0.002) off the total value of the contract to be deducted as stamp charges.
- 15- a sum of (205,000.00) id to be deducted as cost of import license.

- 16- origin certificate should be approved by iraqi embassy/commercial attaché in the country of origin.
- 17- a sum of money in Iraqi dinar for chemical materials to be deducted as an environmental cost after issuing the contract & will be determined by ministry of environment
- 18- the participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 19- the origin of the materials should be specified in the offer and fixed. and will not be changed for any reason state the method & the port of shipment & the entry point .
- 20- the supplier should state his full and fixed name and address (city ,building , street , email , phone NO.). ALL offers and correspondences should be, clearly, signed by the general manager or whom is officially empowered via power of attorney. otherwise the offer will be neglected.
- 21- third party inspection certificate should be provided from one of the following companies:  
[Iloyds register – bureau veritas - intertek global - tuv rheinland - dnv]
- 22- it is necessary to present authorization letter from the manufacturer companies certified from ministry of foreign affairs or embassy or consulate or the commercial attached in country of origin
- 23- in case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 24- the awarded supplier will bear the advertising fees value (100 \$) .
- 25- iraqi laws are applied : the tender and the contract shall be governed and construed according to the iraqi law. courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (mrc).
- 26- for chemical (req) the sample should be submitted with the technical & commercial offers before or (during )the closing otherwise the offers will be neglected
- 27- the contracted company shall not deal with Israel in any way ; otherwise , it shall bear all the legal consequences .
- 28- the companies that need any additional information in order to participate in any tender should buy the tender document & attached with their letters before closing date . & our company shall state a date of conference for answering all questions in time not less than (7 day) before closing date
- 29- closing date: 20 / 12 / 2016, till (1.00) o'clock (afternoon).

Saad Noori Mohamed  
G. MANAGER

# REQ.NO: 1636 /2016

Depressant for transformer oil type alkyl naphthalene or equivalent

Specification :

- The function of this compound is to lower the pour point paraffinic base oil of lube plant of middle east crude from zero to ----30 c° to produce transformer oil

**DOSAGE: 0.3 ... 0.4 WT %**

## Note:

Sample of 1 liter should be submitted before closing date, for complete laboratory evaluation test.

If sample not submitted, the offer will be neglected

**PACKING: barrels 165 Kg weight suitable for overseas shipment  
(5 DRUMS PER PALLET)**

**ORIGIN: EU & USA**

*MSDS: - - physical and chemical Specification*

- *Handling and safety recommendations*
- *Other information's concerning the material*

**QTY: 5000 kgs**

<b>Alkyl, naphthalene</b>	<b>Specification</b>
<b>Base</b>	<b>naphthalene</b>
<b>Sodium</b>	<b>0.90%</b>
<b>Ph 10 % sol water</b>	<b>7.25 + - 1 %</b>
<b>Sulphate content</b>	<b>5 - 8 %</b>
<b>Ash content</b>	<b>34 - 38 %</b>
<b>Appearance</b>	<b>Fine powder</b>
<b>Color</b>	<b>Light cream to off white</b>
<b>Density</b>	<b>500 - 700 Kg \ M3</b>
<b>Solubility</b>	<b>Soluble in water</b>
<b>Dry matter</b>	<b>&gt; 95 %</b>
<b>Ch. composition formaldehyde condense naphthalene</b>	
<b>Beta sulphonic acid sodium salt</b>	
<b>Chemical ring struc. Two adj .hexagons with CH2 on one end SO3NA on another.</b>	

**ADVERTISEMENT**  
**MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-**

REQ.NO.	DESCRIPTION	QTY	ADVERTISEMENT NO.	BID BOND
1641/2016	Nalco 354 or equivalent/Neutralizer for boiler feed water	20000 Kgs	Once	2400 \$

- 1-the requisition to be sold in (250, 000) iraqi dinars; un returnable or to transfer this amount to mrc bank account number (90956)in rafidan bank head branch .
- 2-technical and commercial offer should be opened at the same time, the representatives of the companies can be attend to our mpany (mrc) at 10 o'clock morning one day after the closing day stated below in item (29) .
- 3-offered prices should be (cip) baghdad / daura refinery and preferred to be in us dollar. they will be final and un negotiable. (mrc) is not obliged to accept the lowest prices.
- 4-offeres (technical & commercial) to be submitted, separately in sealed envelopes, either directly at (mrc) reception bureau or sent by(dhl). the requisition number, the description and the closing date should be fixed on both envelopes. the validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. offers sent by e- mail will be neglected.
- 5- the validity of the bid bond and the offer should be mentioned within both offers and should not be less than (120) days.
- 6- all pages of, both, the technical and commercial offers should be numbered in sequence, including the attachments and documents.
- 7-all documents (profile) and similar contracts achieved, issued by governmental contracts should be submitted before purchasing the req. – for the current year or enclosed within the technical offer.
- 8- a bid bond of amount that stated in the advertisement above against each tender should be submitted with commercial offer from one of the participant in the company according to instruction as (letter of guarantee , certified cheque or bank guarantee) (original copy), issued from :( kurdistan international bank , north bank , arpil international bank, gihan bank for islamic investment & finance , al mansour bank for investment , national islamic bank , region for business investment and financing ( emerald bank befor), bank of baghdad , gulf commercial bank , sumer for commercial , credit bank iraqi , investment bank of iraq , ashur international bank for investment , international development for investment &finance , national bank of iraq , iraqi islamic cooperational bank for investment , commercial bank , byblos bank , dijlal & furat bank for development & investment & iraqi middle east investment bank , bank med and released immediately in case the requisition is not awarded. cheques & bank guarantees issued from [alwarkaa bank – islamic bilad bank, united bank for investment or basrah international bank, al- huda bank ,economy bank for investment & finance, union bank of Iraq ] are not acceptable. this bid bond should be valid for not less than (120) days &this bid bond should be confiscated if the companies don't respond to( answered for ) the correspondence during the technical & commercial study .
- 9- the delivery period (in days) should be, exactly specified.
- 10-basic terms of payment is by irrevocable & unconfirmed letter of credit to be paid (100%) after the receipt of goods in baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee the prices of all offers are calculated according to the exchange rate of the central bank of iraq .at the date of opening the offers .for the purpose of preferability and by iraqi dinar only , for iraqi companies according to the exchange rate of the control bank of iraq at the date of preparing the contract,and the cost was stated in the contract.
- 11- delay penalty to be applied with total amount, not exceeding (10%) of the total value of the contract .
- 12- an unconditional performance bond of (5%) of the total value of the contract to be submitted, from one of the participant in the company as a letter of guarantee (only) after the letter of award and before signing the contract according to instruction , from one of the banks mentioned in item (8) within (15) fifteen days from the date, the supplier is informed of the award. for any delay beyond the specified period, the award will be cancelled and the supplier will be considered as a shirker. the issue of the (l /c) depends, mainly, on submitting this bond. the performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), is over. this performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the contract to be deducted as taxes for iraqi companies. also, in case the payment is in iraqi dinar. for non-iraqi companies, the deducted amounts shall be transferred to the general commission of taxes within a period not exceeding (30) days from the date of completing the work and 3% for the contract contain onsite training , installation and operation.
- 14- (0.002) off the total value of the contract to be deducted as stamp charges.
- 15- a sum of (205,000.00) id to be deducted as cost of import license.

- 16- origin certificate should be approved by iraqi embassy/commercial attaché in the country of origin.
- 17- a sum of money in Iraqi dinar for chemical materials to be deducted as an environmental cost after issuing the contract & will be determined by ministry of environment
- 18- the participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 19- the origin of the materials should be specified in the offer and fixed. and will not be changed for any reason state the method & the port of shipment & the entry point .
- 20- the supplier should state his full and fixed name and address (city ,building , street , email , phone NO.). ALL offers and correspondences should be, clearly, signed by the general manager or whom is officially empowered via power of attorney. otherwise the offer will be neglected.
- 21- third party inspection certificate should be provided from one of the following companies:  
[lioyds register – bureau veritas - intertek global - tuv rheinland - dnv]
- 22- it is necessary to present authorization letter from the manufacturer companies certified from ministry of foreign affairs or embassy or consulate or the commercial attached in country of origin
- 23- in case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 24- the awarded supplier will bear the advertising fees value (100 \$) .
- 25- iraqi laws are applied : the tender and the contract shall be governed and construed according to the iraqi law. courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (mrc).
- 26- for chemical (req) the sample should be submitted with the technical & commercial offers before or (during )the closing otherwise the offers will be neglected
- 27- the contracted company shall not deal with Israel in any way ; otherwise , it shall bear all the legal consequences .
- 28-the companies that need any additional information in order to participate in any tender should buy the tender document & attached with their letters before closing date . & our company shall state a date of conference for answering all questions in time not less than (7 day) befor closing date
- 29- closing date: 20 / 12 / 2016, till (1.00) o'clock (afternoon).

Saad Noori Mohamed  
G. MANAGER

**REQ. NO: 1641/2016**

NALCO 354 OR EQUIVALENT/ NEUTRALIZER FOR BOILER  
FEED WATER

**NOTE:**

Offered material must be field successfully in boiler feed  
water.

- **PAEKING: 200-220 KGS PE DRUMS MUST BE SEATED ON  
PALLETS THAT CAN BE STACKED ( 4 DRUMS PER PALLET )**

ORIGIN: - west Europe & U.S.A

MSDS : Should be supply -

Delivery period 120 day

**QTY 20000 kgs**